

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: A01N 25/30, 57/20, 37/02, 37/06	A1	(11) International Publication Number: WO 95/16352 (43) International Publication Date: 22 June 1995 (22.06.95)
(21) International Application Number: PCT/US94/14198 (22) International Filing Date: 9 December 1994 (09.12.94) (30) Priority Data: 169,693 17 December 1993 (17.12.93) US (71) Applicant: MONSANTO COMPANY [US/US]; 800 North Lindbergh Boulevard, St. Louis, MO 63167 (US). (72) Inventors: BERK, Howard, Cary; 13193 Weatherfield Drive, St. Louis, MO 63146 (US). KASSEBAUM, James, Web; 9221 Leeward Court, Indianapolis, IN 46256 (US). (74) Agent: BOLDING, James, Clifton; Monsanto Company, 800 North Lindbergh Boulevard, St. Louis, MO 63167 (US).		(81) Designated States: AM, AU, BB, BG, BR, BY, CA, CN, CZ, EE, FI, GE, HU, JP, KG, KR, KZ, LK, LR, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ). Published <i>With international search report.</i> RECEIVED FEB 22 2001 TECH CENTER 1600/2900

(54) Title: AQUEOUS CONCENTRATE FORMULATIONS HAVING REDUCED EYE IRRITANCY

(57) Abstract

Disclosed are storage-stable aqueous concentrate formulations of pesticides or plant growth modifying agents containing sufficient amounts of an alkoxylated alkylamine surfactant to insure a high degree of pesticidal or plant growth modifying efficacy, wherein irritancy to eyes resulting from the presence of said surfactant is reduced by the presence of an effective amount of a C₆₋₂₂ saturated or unsaturated alkyl monocarboxylic or dicarboxylic acid or mixture of such acids.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				



-1-

AQUEOUS CONCENTRATE FORMULATIONS
HAVING REDUCED EYE IRRITANCY

FIELD OF THE INVENTION

5 This invention comprises new and useful storage-
stable aqueous concentrate compositions of pesticides or
plant growth modifying agents, in particular the
herbicide N-phosphonomethylglycine or its salts or
mixtures thereof, containing sufficient amounts of an
10 alkoxyated alkylamine surfactant to insure a high
degree of pesticidal or plant growth modifying efficacy,
wherein irritancy to eyes resulting from the presence of
said surfactant is significantly reduced or eliminated
by the presence in the formulation of a small quantity
15 of a C₆₋₂₂ saturated or unsaturated alkyl monocarboxylic
or dicarboxylic acid or mixture of such acids.

BACKGROUND OF THE INVENTION

Aqueous concentrate formulations of pesticidal
20 and plant growth modifying chemicals are widely used in
agricultural, industrial, recreational and residential
areas worldwide. The chemicals which form the active
ingredients of such formulations illustratively include
insecticides, fungicides, herbicides, plant growth
25 regulators and plant nutrients. An aqueous concentrate
is essentially a solution of the active ingredient in
water at relatively high concentration, intended for
dilution in water prior to application by spraying or
other means. Typically the aqueous concentrate is
30 diluted in about 10 to about 100 times its own volume of
water prior to application.

If the active ingredient is to be applied to the
foliage of plants, a surfactant is typically included in
the formulation to aid wetting of the foliage by the
35 spray solution and improve retention and uptake of the
active ingredient by the plant. Because the spray
solution must contain a sufficient concentration of said
surfactant to provide good wetting, retention and

-2-

uptake, and therefore good efficacy, the aqueous concentrate formulation must generally contain a high concentration of the surfactant, typically about 5% to about 25% by weight of the formulation.

5 A common concern with many surfactants that provide good efficacy of the active ingredient is that at the high concentrations required in the aqueous concentrate formulation the surfactants tend to be irritant if accidentally splashed or otherwise injected
10 into the eye of anyone handling such a formulation. This property may lead to restrictive labelling of the product that limits its usefulness in certain markets, even where the active ingredient itself provides no such hazard.


15 A class of surfactants that are known to give excellent efficacy of certain foliar-applied pesticides and plant growth modifying agents, but are irritant to eyes at the high concentrations required in aqueous concentrate formulations, are alkoxylated alkylamines.
20 These are especially widely used in aqueous concentrate formulations of the herbicide N-phosphonomethylglycine, commonly known as glyphosate.

Glyphosate is a highly effective and commercially important herbicide useful for combating the presence of
25 a wide variety of unwanted vegetation, including agricultural weeds. Glyphosate is applied as a formulated product to the foliage of annual and perennial grasses, sedges and broadleaf plants and the like, and is taken up over a period of time through the
30 leaves into the treated vegetation, whence it translocates throughout the plant.

Glyphosate in its acid form has relatively low water solubility, but when formulated as a salt its solubility is much higher. Aqueous concentrate
35 formulations of glyphosate therefore typically contain one or more salts, such as an alkylamine, for example, isopropylammonium, salt, the ammonium salt, the

trimethylsulfonium salt or an alkali metal, for example potassium or sodium, salt of glyphosate.

A wide variety of alkoxyated alkylamine surfactants have been tested or used commercially in glyphosate formulations. They may be represented generically by the structural formula



wherein R_1 is C_{8-22} alkyl, R_2 groups are C_{2-4} alkylene
15 groups or a mixture of such groups and m and n are
numbers such that m+n has an average value in the range
from about 2 to about 50. In commercial formulations R_1
is most commonly derived from a natural source such as
tallow, soybean or coconut oil and comprises a range of
20 chain lengths, and R_2 is most commonly ethylene.

Aqueous concentrate formulations of the isopropylamine salt of glyphosate with a surfactant based on ethoxylated tallowamine have been sold by Monsanto Company for many years under various trade names including Roundup® herbicide.

European patent application 0 290 416 discloses aqueous concentrate formulations of glyphosate or its salts with a surfactant having the structure represented above wherein R_1 is C_{8-22} alkyl, R_2 is alkylene, for example ethylene or propylene, and $m+n$ has an average value in the range from about 1 to about 12, and wherein the weight ratio of glyphosate (expressed as acid equivalent) to said surfactant is in the range from about 1:1.75 to about 6:1.

35 Eye irritant properties of alkoxylated alkylamine
surfactants are well known, and are disclosed, for
example, in Australian patent application 81718/91.
This patent application discloses surfactant
compositions comprising an alkoxylated alkylamine of the
40 structure represented above wherein m+n has an average

value of at least about 7, together with compounds said to reduce the eye irritancy of said alkoxyated alkylamine. The eye irritancy reducing agents disclosed include sulfated polyoxyalkylene alkylphenols, alcohol
5 sulfates, polyoxyalkylene alcohol sulfates, mono- and dialcohol sulfates, mono- and di-(polyoxyalkylene alcohol) phosphates, mono- and di-(polyoxyalkylene alkylphenol) phosphates, polyoxyalkylene alkylphenol carboxylates and polyoxyalkylene carboxylates, said eye
10 irritant reducing compounds having alkyl or alcohol groups with a chain length from about 8 to about 20 carbon atoms and up to about 60 moles of alkylene oxide per mole of the compound. It is further disclosed that said surfactant compositions can be used to prepare
15 pesticidal compositions, particularly herbicidal compositions containing glyphosate.

There are provided herein new and useful storage-stable aqueous concentrate compositions comprising (a) a water-soluble pesticide or plant growth modifying agent,
20 (b) an alkoxyated alkylamine surfactant having the molecular structure represented above in sufficient amount to provide good efficacy of said pesticide or plant growth modifying agent when the composition is applied in diluted form to plant foliage, (c) a C₆₋₂₂
25 saturated or unsaturated alkyl monocarboxylic or dicarboxylic acid or mixture of such acids and (d) water; said compositions being less irritant to eyes than similar compositions lacking only component (c).

Saturated or unsaturated alkyl monocarboxylic or
30 dicarboxylic acids have not previously been disclosed to act as eye irritancy reducing agents when used with eye irritant surfactants, such as alkoxyated alkylamines. They have advantages over the eye irritation reducing agents disclosed in Australian patent application
35 81718/91 cited above in having lower cost.

US Patent 5,196,044 discloses that fatty acids of carbon chain length from about 7 to about 20 may be used in combination with certain herbicides, including

-5-

glyphosate based herbicides, to give improved herbicidal performance. Examples are provided wherein nonanoic acid, in the form of an 80% (by weight) formulation called Sharpshooter® herbicide, was diluted as a spray
5 mix together with the isopropylamine salt of glyphosate, in the form of Roundup® herbicide. No disclosure is made of an aqueous concentrate formulation comprising a herbicidal active ingredient, an alkoxylated alkylamine surfactant and a saturated or unsaturated fatty acid.
10 No mention is made of eye irritancy properties of any composition disclosed; nor is any guidance given as to how to prepare a storage-stable aqueous concentrate formulation comprising both glyphosate and saturated or unsaturated fatty acid. The spray mixes disclosed
15 contain a sufficient quantity of the fatty acid to provide enhanced weed control performance by comparison with the herbicide alone. For example, the weight/weight ratios of nonanoic acid to glyphosate (expressed as acid equivalent) in disclosed spray mixes ranged from
20 1:3 to 62:1.

PCT application WO 92/07467 discloses dilute aqueous compositions comprising glyphosate or derivatives or salts thereof together with a fatty acid or fatty acid salt, which are said to provide herbicidal
25 activity at rates lower than those of either component alone required to provide comparable activity. The fatty acid or fatty acid salt component is present in the range from 0.1% to 3.0% by weight of the composition while the glyphosate component is present at 0.08% to
30 2.0% by weight of the composition. Again, no mention is made of eye irritancy properties of any composition disclosed; nor is any guidance given as to how to prepare a storage-stable aqueous concentrate formulation comprising both glyphosate and fatty acid. All data
35 provided relate to dilute mixtures of Roundup® herbicide with fatty acid salts as opposed to fatty acids, with the exception of data provided in Table 4 of the cited application. This Table 4 presents data on various

-6-


dilute mixtures of Roundup herbicide with a 1:1 formulation of soybean and coconut fatty acids. These mixtures, when compared with Roundup herbicide alone, are shown to provide slightly superior herbicidal efficacy on two weed species and inferior herbicidal efficacy on a third weed species.

European patent application 0 566 648 discloses aqueous formulations comprising a salt of glyphosate and at least one fatty acid or salt thereof, wherein the fatty acid or salt thereof is present in an amount sufficient to provide herbicidal activity in its own right, in the form of early contact injury symptoms. An appropriate pH range is disclosed (about 6.4 to about 7.8, preferably about 6.8 to about 7.0) wherein said formulations are said to show improved storage stability while maintaining the desired herbicidal efficacy. Among surfactants disclosed as optional components of said formulations is an ethoxylated tallowamine surfactant having about 15 to about 18 moles of ethylene oxide per mole of tallowamine. Once again, no mention is made of eye irritancy properties of any composition disclosed. No hint is present that any advantage might be apparent at fatty acid concentrations far below those providing contact injury symptoms, or at pH levels more typical of commercial aqueous concentrate formulations of glyphosate, such as in the range from about 4.0 to about 6.0.

SUMMARY OF THE INVENTION

This invention comprises new and useful storage-stable aqueous concentrate compositions of pesticides or plant growth modifying agents, in particular the herbicide N-phosphonomethylglycine (glyphosate) or its salts or mixtures thereof, having unexpectedly low irritancy to eyes. Compositions of the invention contain, in addition to one or more active ingredients and water, an alkoxylated alkylamine surfactant represented generically by the structural formula

-7-



wherein R_1 is C_{18-22} alkyl, R_2 groups are C_{2-4} alkylene groups or a mixture of such groups and m and n are numbers such that $m+n$ has an average value in the range from about 2 to about 50, said alkoxyated alkylamine surfactant being present in sufficient amount to insure a high degree of pesticidal or plant growth modifying efficacy. At such levels in a concentrate formulation, an alkoxyated alkylamine surfactant of chemical structure represented above normally imparts to the formulation an undesirable degree of irritancy to eyes. In compositions of the invention, irritancy to eyes resulting from the presence of said alkoxyated alkylamine surfactant is significantly reduced or eliminated by the presence in the formulation of a C_6-22 alkyl monocarboxylic or dicarboxylic acid or mixture of such acids. Surprisingly, the amount of said monocarboxylic or dicarboxylic acid(s) required in the formulation to provide useful eye irritancy reduction is much lower than amounts of fatty acids previously disclosed to give other benefits, such as herbicidal performance enhancement. Compositions of the present invention comprise alkoxyated alkylamine surfactant and monocarboxylic or dicarboxylic acid(s) in a weight/weight ratio ranging from about 2:1 to about 20:1. Glyphosate formulations of the invention comprise glyphosate (on an acid equivalent basis) and monocarboxylic or dicarboxylic acid(s) in a weight/weight ratio ranging from about 5:1 to about 100:1. No adverse effect on pesticidal or plant growth modifying performance is produced by inclusion of monocarboxylic or dicarboxylic acid(s) at such levels in formulations of the invention. Glyphosate formulations of the invention have commercially acceptable storage stability at pH levels typical of aqueous concentrate formulations

-8-

of glyphosate, such as in the range from about 4.0 to about 6.0.

OBJECTS OF THE INVENTION

5 It is an object of the present invention to provide an aqueous concentrate formulation of a pesticidal or plant growth modifying active ingredient which combines a high degree of efficacy for its intended purpose with low eye irritancy.

10 It is a further object of the present invention to provide such an aqueous concentrate formulation having commercially acceptable storage stability.

It is a still further object of the present invention to provide such an aqueous concentrate
15 formulation at relatively low cost by comparison with previously disclosed solutions to the eye irritancy problem.

It is a particular object of the invention to provide aqueous concentrate formulations meeting the
20 criteria set forth in the immediately preceding three paragraphs, wherein the active ingredient is the herbicide glyphosate and the surfactant system present in the formulation comprises an alkoxylated alkylamine surfactant of a type normally imparting an undesirable
25 degree of eye irritancy to the formulation.

These and other objects are satisfied in compositions of the invention described in detail below.


DETAILED DESCRIPTION OF THE INVENTION

30 There are provided herein compositions comprising:

(a) a water-soluble pesticide or plant growth modifying agent, in an amount sufficient to provide the desired pesticidal or plant growth modifying effect when
35 the composition is diluted by a factor of at least 10 in water and applied to the organism to be killed, controlled or modified;

-9-

(b) an alkoxyated alkylamine surfactant represented generically by the structural formula



wherein R_1 is a straight or branched chain alkyl group with an average of about 8 to about 22 carbon atoms, R_2 groups are C_{2-4} alkylene groups or a mixture of such groups and m and n are numbers such that $m+n$ has an average value in the range from about 2 to about 50, said alkoxyated alkylamine surfactant being present in sufficient amount to provide good efficacy of said pesticide or plant growth modifying agent when the composition is applied in diluted form to the organism to be killed, controlled or modified, and in sufficient amount to impart an undesirable degree of eye irritancy to the composition if component (c) is absent;

(c) a C_{6-22} saturated or unsaturated alkyl monocarboxylic or dicarboxylic acid or mixture of such acids, in sufficient amount to reduce or eliminate the eye irritancy of the composition imparted by component (b), but in an amount insufficient to cause any herbicidal symptoms in its own right when the composition is applied in diluted form to plant foliage; and

(d) water.

Active ingredients useful in compositions of the invention may be fungicides, insecticides, acaricides, miticides, herbicides, plant growth regulators, plant nutrients or other pesticidal or plant growth modifying agents. The only limitation is that they have sufficient solubility in water to be formulatable as aqueous concentrates at about 10 times the concentration required in an application solution.

Especially useful active ingredients in compositions of the present invention are water-soluble

-10-

herbicides, including but not restricted to salts of phenoxyacetic, phenoxypropionic and phenoxybutyric acids, salts of dicamba, salts of picloram, salts of dalapon, salts of acifluorfen, salts of glyphosate, salts of glufosinate, salts of methanearsonic acid, mixtures thereof and the like. Preferred among these are salts of glyphosate, more especially alkali metal, ammonium, alkylammonium and trimethylsulfonium salts. Compositions of the invention are useful whether single salts of glyphosate, such as the isopropylamine salt, mixtures of salts of glyphosate, or mixtures comprising glyphosate salt(s) and at least one other water-soluble herbicide, are to be formulated.

In glyphosate salt formulations of the invention, glyphosate (expressed as acid equivalent) is typically present at about 10% to about 40% by weight, preferably at about 25% to about 35% by weight, of the formulation.

In the structure of the alkoxyated alkylamine surfactant present in compositions of the invention, R_1 is preferably a straight chain alkyl group with an average of about 12 to about 18 carbon atoms. The alkyl chain may be derived naturally or synthetically. Typically it is derived from a natural source such as coconut or soybean oil or tallow. Preferred alkylamines include dodecylamine, stearylamine, cocoamine and tallowamine.

R_2 in the structure of said alkoxyated alkylamine surfactant is preferably ethylene, and $m+n$ preferably has an average value from about 2 to about 20.

Glyphosate formulations of the invention typically contain glyphosate salt (expressed as acid equivalent) and alkoxyated alkylamine surfactant in a weight/weight ratio ranging from about 10:1 to about 1:2, preferably from about 5:1 to about 2:1.

Acids useful as eye irritancy reducing agents in formulations of the invention include monocarboxylic acids, such as octanoic, nonanoic, decanoic, dodecanoic.

-11-

and octodecanoic acids, and dicarboxylic acids, such as adipic acid. A mixture of such acids may be used, and will be normal where these are derived from a natural source, such as coconut oil. An especially preferred
5 acid is octanoic acid.

To obtain the desired reduction in eye irritancy, the weight/weight ratio of alkoxyated alkylamine surfactant to C₈₋₂₂ alkyl monocarboxylic or dicarboxylic acid(s) in formulations of the invention is in the range
10 from about 2:1 to about 20:1.

Glyphosate formulations of the invention comprise glyphosate (on an acid equivalent basis) and monocarboxylic or dicarboxylic acid(s) in a weight/weight ratio ranging from about 10:1 to about 100:1,
15 preferably from about 10:1 to about 40:1. An example with a glyphosate/octanoic acid ratio of about 8:1 was found not to give useful improvement in eye irritancy. It appears that it is possible to have too much, as well as too little, of the monocarboxylic or dicarboxylic
20 acid to give the desired effect. In addition, at very low glyphosate/fatty acid ratios, there may be sufficient fatty acid present to have a direct phytotoxic effect, with the attendant danger of antagonizing the long-term herbicidal efficacy of the
25 glyphosate component.

Optionally, ingredients other than those specified in (a) to (d) above may be present in aqueous concentrate formulations of the invention. These include, but are not limited to, dyes, thickeners,
30 stabilizers, cosurfactants, gel inhibitors, antifreezes, anti-foam agents, mixtures thereof and the like. Where the alkoxyated alkylamine surfactant is one that tends to form a gel on adding to water, a particularly useful added ingredient is a glycol, for example a polyethylene
35 glycol having an average molecular weight in the range from about 300 to about 1000, which acts as a gel inhibitor.

-12-

Compositions of the invention show good storage stability across a wide range of temperatures. They do not show crystallization of active or other ingredients at low temperatures, for example around 0°C, nor do they
5 show phase separation at high temperatures, for example around 50°C. The tendency for phase separation can be measured by cloud point, which is the temperature at which phase separation begins. For commercial acceptability in most markets, cloud point must normally
10 be around 50°C or higher.

In the case of glyphosate formulations of the invention, good storage stability has been observed at pH levels far below those required for more dilute formulations with a much lower glyphosate/fatty acid
15 ratio, as disclosed in EP application 566,648 cited above. Typically the pH of glyphosate formulations of the invention is in the range from about 4.0 to about 6.0, but pH levels outside this range may also be acceptable.

20 The present invention is illustrated by but not limited to the following working examples. In describing concentrate compositions of the examples, percentages are given by weight unless otherwise indicated.

25

EXAMPLES

In the following Examples, eye irritancy was determined by testing in full accordance with United States EPA Publication 540/9-84-014, November 1984:
30 Pesticidal Assessment Guidelines, Subdivision F, Hazard Evaluation (Human and Domestic Animals). Studies were conducted in compliance with EPA Good Laboratory Practice Standards as set out in Federal Register, Vol. 48, November 29, 1983. Test materials were classified
35 into toxicity categories as follows:

-13-

	<u>Category</u>	<u>Criteria</u>
5	I	Corrosive (irreversible destruction of ocular tissue) or corneal involvement or conjunctival irritation persisting through day 21.
	II	Corneal involvement or conjunctival irritation clearing in 8-21 days.
	III	Corneal involvement or conjunctival irritation clearing in 7 days or less.
10	IV	Minimal effects clearing in less than 24 hours.

The practice of the present invention provides reduced irritation as reflected by at least one higher eye irritancy category as determined by the just-mentioned EPA publication.

Example 1 (representative of prior art)

An aqueous solution of the isopropylamine salt of glyphosate, containing 61.3% of said salt, was used as the starting material for preparing an aqueous concentrate of prior art. To 68.5 g of this solution was added (1) 7.2 g of an ethoxylated tallowamine surfactant containing an average of about 15 moles of ethylene oxide per mole of tallowamine, (2) 2.8 g of polyethylene glycol with an average molecular weight of about 600, and having small amounts of monoethylene glycol and water as impurities, and (3) 21.5 g of water, with stirring to make 100 g of an aqueous concentrate formulation.

The formulation of Example 1 was tested for eye irritancy as described above. On the basis of results from this testing, it was placed in toxicity category I. This formulation has a pH of 4.7 when diluted at the rate of 5 g in 100 ml water. Its cloud point is 81°C.

Example 2 (representative of the present invention)

-14-

An aqueous solution of the isopropylamine salt of glyphosate, containing 61.3% of said salt, was used as the starting material for preparing an aqueous concentrate of prior art. To 68.5 g of this solution
5 was added (1) 7.2 g of an ethoxylated tallowamine surfactant containing an average of about 15 moles of ethylene oxide per mole of tallowamine, (2) 2.0 g of polyethylene glycol with an average molecular weight of about 400, (3) 0.8 g of octanoic acid, and (4) 21.5 g of
10 water, with stirring to make 100 g of an aqueous concentrate formulation.

The formulation of Example 2 was tested for eye irritancy as described above. On the basis of results from this testing, it was placed in toxicity category
15 III. By comparison with the formulation of Example 1, which is of very similar composition but lacking octanoic acid, eye irritancy is therefore very significantly reduced. The formulation of Example 2 has a pH of 4.7 when diluted at the rate of 5 g in 100 ml
20 water. Its cloud point is 64 °C.

Extensive greenhouse and field evaluation of the herbicidal efficacy of the formulation of Example 2 was conducted. Its performance has been found to be very similar to that of commercial standards containing
25 similar or higher levels of tallowamine 15-mole ethoxylate surfactant but no octanoic acid.

Example 3 (representative of prior art)

An aqueous solution of the isopropylamine salt of glyphosate, containing 61.3% of said salt, was used as
30 the starting material for preparing an aqueous concentrate of prior art. To 68.5 g of this solution was added (1) 10.0 g of an ethoxylated cocoamine surfactant containing an average of about 2 moles of
35 ethylene oxide per mole of cocoamine, and (2) 21.5 g of water, with stirring to make 100 g of an aqueous concentrate formulation.

-15-

The formulation of Example 3 was tested for eye irritancy as described above. On the basis of results from this testing, it was placed in toxicity category I. This formulation has a pH of 5.1 when diluted at the rate of 5 g in 100 ml water. Its cloud point is higher than 95°C.

Example 4 (representative of the present invention)

An aqueous solution of the isopropylamine salt of glyphosate, containing 61.3% of said salt, was used as the starting material for preparing an aqueous concentrate of prior art. To 68.5 g of this solution was added (1) 10.0 g of an ethoxylated cocoamine surfactant containing an average of about 2 moles of ethylene oxide per mole of cocoamine, (2) 2.0 g of octanoic acid, and (3) 19.5 g of water, with stirring to make 100 g of an aqueous concentrate formulation.

The formulation of Example 4 was tested for eye irritancy as described above. On the basis of results from this testing, it was placed in toxicity category II. By comparison with the formulation of Example 3, which is of very similar composition but lacking octanoic acid, eye irritancy is therefore significantly reduced. This formulation has a pH of 5.0 when diluted at the rate of 5 g in 100 ml water. Its cloud point was determined to be higher than 95°C.

Greenhouse evaluation of the herbicidal efficacy of the formulation of Example 4 was conducted. Its performance has been found to be very similar to that of commercial standards containing tallowamine 15-mole ethoxylate surfactant but no octanoic acid.

While the illustrative embodiments of the invention have been described with particularity, it will be understood that various other modifications will be apparent to and can readily be made by one of skill in the art without departing from the spirit and scope of the invention.

-16-


CLAIMS

WHAT IS CLAIMED IS:

- 5 1. A storage-stable aqueous concentrate composition comprising

(a) a water-soluble pesticide or plant growth modifying agent, in an amount sufficient to provide the desired pesticidal or plant growth modifying effect when
 10 the composition is diluted by a factor of at least 10 in water and applied to the organism to be killed, controlled or modified;

(b) an alkoxyated alkylamine surfactant represented generically by the structural formula
 15



wherein R_1 is a straight or branched chain alkyl group with an average of about 8 to about 22 carbon atoms, R_2 groups are C_{2-4} alkylene groups or a mixture of such
 25 groups and m and n are numbers such that $m+n$ has an average value in the range from about 2 to about 50, said alkoxyated alkylamine surfactant being present in sufficient amount to provide good efficacy of said pesticide or plant growth modifying agent when the
 30 composition is applied in diluted form to the organism to be killed, controlled or modified, and in sufficient amount to impart an undesirable degree of eye irritancy to the composition if component (c) is absent;

(c) a C_{6-22} saturated or unsaturated alkyl
 35 monocarboxylic or dicarboxylic acid or mixture of such acids, in sufficient amount to reduce or eliminate the eye irritancy of the composition imparted by component (b), but in an amount insufficient to cause any herbicidal symptoms in its own right when the

-17-

composition is applied in diluted form to plant foliage in accordance with the present invention; and

(d) water.

- 5 2. The composition of Claim 1 wherein component (a) is a salt, or mixture of salts, of glyphosate.
3. The composition of Claim 2 wherein component (a) is an alkali metal, ammonium, alkylammonium or
10 trimethylsulfonium salt of glyphosate, or a mixture of said salts.
4. The composition of Claim 3 wherein component (a) is the isopropylamine salt of glyphosate.
15
5. The composition of Claim 2 wherein R_1 in the structure of component (b) is a straight chain alkyl group with an average of about 12 to about 18 carbon atoms.
20
6. The composition of Claim 2 wherein component (b) is an alkoxyated dodecylamine, stearylamine, cocoamine or tallowamine.
- 25 7. The composition of Claim 2 wherein R_2 in the structure of component (b) is ethylene.
8. The composition of Claim 6 wherein R_2 in the structure of component (b) is ethylene and $m+n$ in the
30 structure of component (b) has an average value in the range from about 2 to about 20.
9. The composition of Claim 8 wherein glyphosate (expressed as acid equivalent) and ethoxylated
35 alkylamine surfactant are present in a weight/weight ratio ranging from about 10:1 to about 1:2.

-18-

10. The composition of Claim 8 wherein glyphosate (expressed as acid equivalent) and ethoxylated alkylamine surfactant are present in a weight/weight ratio ranging from about 5:1 to about 2:1.

11. The composition of Claim 2 wherein component (c) is a saturated or unsaturated alkyl monocarboxylic acid with an alkyl chain length of about 8 to about 18 carbon atoms.

12. The composition of Claim 8 wherein component (c) is octanoic acid.

13. The composition of Claim 8 wherein components (b) and (c) are present in a weight/weight ratio in the range from about 2:1 to about 20:1.

14. The composition of Claim 8 wherein glyphosate (expressed as acid equivalent) and component (c) are present in a weight/weight ratio ranging from about 10:1 to about 100:1.

15. The composition of Claim 8 wherein glyphosate (expressed as acid equivalent) and component (c) are present in a weight/weight ratio ranging from about 10:1 to about 40:1.

16. The composition of Claim 8 having a pH in the range from about 4.0 to about 6.0.

17. A storage-stable aqueous concentrate composition comprising

(a) a water-soluble salt of glyphosate in a concentration such that when the composition is diluted by a factor of at least 10 with water and applied to vegetation the glyphosate is present in an amount sufficient to control such vegetation;

-19-

(b) an ethoxylated (EO = 2-20) C₈₋₂₂ alkylamine surfactant in an amount sufficient to enhance the herbicidal efficacy of glyphosate when applied in diluted form but in a sufficient amount to impart an undesirable degree of eye irritancy to the composition before dilution when component (c) is absent from the composition;


(c) a C₆₋₂₂ saturated alkyl monocarboxylic acid in an amount to reduce the eye irritancy of the composition imparted by the presence of component (b) as indicated by at least one higher eye irritancy category as determined in accordance with United States EPA publication 540/9-84-014, November 1984: Pesticidal Assessment Guidelines, Subdivision F, Hazard Evaluation (Human and Domestic Guidelines); and

(d) water.

18. The composition of Claim 17 wherein component (a) is an alkali metal, alkylammonium or trimethyl-sulfonium salt of glyphosate, or a mixture of such salts.

19. The composition of Claim 18 wherein component (b) is ethoxylated tallowamine.

20. The composition of Claim 19 wherein component (c) is octanoic acid.



INTERNATIONAL SEARCH REPORT

International application No.

PCI, JS 94/14198

A. CLASSIFICATION OF SUBJECT MATTER

IPC: A01N 25/30, A01N 57/20, A01N 37/02, A01N 37/06
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

CA, WPI, CAB ABSTRACTS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	EP, A1, 0577914 (MONSANTO EUROPE S.A.), 12 January 1994 (12.01.94) --	1-20
X	WO, A1, 9211764 (MONSANTO COMPANY), 23 July 1992 (23.07.92) --	1-20
X	EP, A1, 0494386 (MYCOGEN CORPORATION), 15 July 1992 (15.07.92) --	1-20
X	WO, A1, 9207467 (SAFER, INC.), 14 May 1992 (14.05.92) --	1-20

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *B* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application or cited to understand the principle or theory underlying the invention

X document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

Z document member of the same patent family

Date of the actual completion of the international search

2 March 1995

Date of mailing of the international search report

05.04.95

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Postbus 2
NL-2230 HV Rijswijk
Tel. (+31-70) 340-1040, Tr. 31 651 epo nl
Fax (+31-70) 340-1016

Authorized officer

GERD STRANDELL

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 94/14198

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO, A1, 9402021 (MONSANTO COMPANY), 3 February 1994 (03.02.94), page 7, line 4 - page 8, line 23, claims 1,13,14 ----- --	1-20

INTERNATIONAL SEARCH REPORT
Information on patent family members

09/02/95

International application No.

PCT/US 94/14198

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A1- 0577914	12/01/94	NONE	
WO-A1- 9211764	23/07/92	AU-A- 9170591 EP-A- 0566648 JP-T- 6504060	17/08/92 27/10/93 12/05/94
EP-A1- 0494386	15/07/92	AU-A- 8821891 CA-A- 2056290 JP-A- 4334303 US-A- 5196044	13/08/92 09/07/92 20/11/92 23/03/93
WO-A1- 9207467	14/05/92	AU-B- 648622 AU-A- 9017791 CA-A, A- 2095341 EP-A, A- 0556283 JP-T- 6501484	28/04/94 26/05/92 03/05/92 25/08/93 17/02/94
WO-A1- 9402021	03/02/94	NONE	